

QFD01

Staff TCJ **Date** 1/09/2020 **Season** A
Revisit TCJ 6/10/2020 A
Type Q 10 m x 10 m
Location Flynn Drive
MGA Zone 50 [REDACTED]
Habitat Flat
Aspect N/A **Slope** N/A
Soil Type Pale yellow sand
Rock Type Nil
Loose Rock 0 % cover **Litter** 90 % cover ; 4 cm in depth
Bare ground 6 % cover **Weeds** <1 % cover
Vegetation U+ ^*Allocasuarina fraseriana*, ^*Banksia attenuata* ^tree\6\c;M ^*Xanthorrhoea preissii* ^grass tree\3\i;G ^*Hibbertia hypericoides*, ^*Mesomelaena pseudostygia* ^shrub,sedge\1\i
Veg. Condition Excellent
Disturbance Some rubbish and animal diggings
Fire Age <5 years
Notes Fire evidence looks like cool burn only, just some charring of logs and trunks at low height. Photo taken of spider orchid 01-33 Hairy Spider.



Species	WA Cons.	Height (m)	Cover (%)	Count
<i>Alexgeorgea nitens</i>		0.1	<1	
<i>Allocasuarina fraseriana</i>		5	22	
<i>Austrostipa compressa</i>		0.2	<1	
* <i>Avellinia michelii</i>		0.1	<1	

<i>Banksia attenuata</i>	3	10	
<i>Bossiaea eriocarpa</i>	0.2	<1	
* <i>Briza maxima</i>	0.2	<1	
<i>Caladenia arenicola</i>	0.3	<1	2
<i>Caladenia flava</i> subsp. <i>flava</i>	0.2	<1	
<i>Conostephium pendulum</i>	0.3	<1	
* <i>Crassula glomerata</i>	0.1	<1	
<i>Daviesia triflora</i>	0.4	<1	
<i>Desmocladius flexuosus</i>	0.2	<1	
<i>Diuris longifolia</i>	0.2	<1	
<i>Drosera erythrorhiza</i>	0.1	<1	
<i>Drosera macrantha</i>	0.3	<1	
<i>Eriochilus</i> sp.	0.1	<1	
<i>Gastrolobium linearifolium</i>	0.2	<1	
* <i>Gladiolus caryophyllaceus</i>	0.6	<1	
<i>Haemodorum</i> sp.	0.4	<1	
<i>Hibbertia huegelii</i>	0.3	<1	
<i>Hibbertia hypericoides</i>	0.3	12	
<i>Hovea trisperma</i>	0.3	<1	
<i>Hyalosperma cotula</i>	0.1	<1	
<i>Hybanthus calycinus</i>	0.2	<1	
* <i>Hypochaeris glabra</i>	0.1	<1	
<i>Jacksonia sternbergiana</i>	2.5	<1	
<i>Kennedia prostrata</i>		<1	
<i>Kunzea glabrescens</i>	1.5	<1	
<i>Lagenophora huegelii</i>	0.4	<1	
<i>Leptospermum erubescens</i>	1.8	<1	
<i>Lomandra preissii</i>	0.3	<1	
<i>Mesomelaena pseudostygia</i>	0.3	7	
<i>Opercularia vaginata</i>	0.2	<1	
<i>Patersonia occidentalis</i>	0.3	<1	
<i>Philotheca spicata</i>	0.3	<1	
<i>Phyllangium divergens</i>	0.1	<1	
<i>Pimelea sulphurea</i>	0.35	<1	
<i>Podotheca gnaphalioides</i>	0.2	<1	
<i>Poranthera microphylla</i>	0.1	<1	
<i>Pterostylis recurva</i>	0.1	<1	
<i>Ptilotus manglesii</i>	0.1	<1	

<i>Sowerbaea laxiflora</i>	0.3	<1
<i>Stirlingia latifolia</i>	0.2	<1
<i>Stylidium androsaceum</i>	0.1	<1
<i>Thysanotus</i> sp. Coastal plain (N.H. Brittan 66/63)	0.6	<1
<i>Trachymene pilosa</i>	0.1	<1
<i>Tricoryne elatior</i>		<1
* <i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	0.1	<1
<i>Xanthorrhoea preissii</i>	1.6	32

QFD02

Staff TCJ Date 1/09/2020 Season A

Revisit TCJ 6/10/2020 A

Type Q 10 m x 10 m

Location

MGA Zone 

Habitat Flat

Aspect SW Slope Very Gentle

Soil Type Sand white yellow

Rock Type

Loose Rock 0 % cover Litter 2 % cover ; 2 cm in depth

Bare ground 25 % cover Weeds <1 % cover

Vegetation U+ ^^*Eucalyptus marginata*,*Banksia attenuata*,*Allocasuarina fraseriana*\^tree\7\i;M ^*Xanthorrhoea preissii*\^grass tree\3\r;G ^*Hibbertia hypericoides*,^*Mesomelaena pseudostygia*\^shrub,sedge\1\r

Veg. Condition Excellent

Disturbance

Fire Age >5 years

Notes



Species	WA Cons.	Height (m)	Cover (%)	Count
<i>*Aira cupaniana</i>		0.1	<1	
<i>Alexgeorgea nitens</i>		0.2	<1	
<i>Allocasuarina fraseriana</i>		2	2	
<i>Anigozanthos manglesii</i>		0.4	<1	
<i>Anigozanthos manglesii</i>		0.5	<1	

<i>Austrostipa compressa</i>		0.3	<1
<i>Banksia attenuata</i>		6	2
<i>Bossiaea eriocarpa</i>		0.3	<1
* <i>Briza maxima</i>		0.1	<1
<i>Burchardia congesta</i>		0.3	<1
<i>Caladenia flava</i> subsp. <i>flava</i>		0.15	<1
<i>Conostephium pendulum</i>		0.2	<1
<i>Conostylis bracteata</i>	P 3	0.2	<1
<i>Conostylis juncea</i>		0.2	<1
<i>Conostylis setigera</i>		0.1	<1
<i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>		0.6	<1
<i>Daviesia triflora</i>		0.4	<1
<i>Desmocladius flexuosus</i>		0.2	<1
<i>Drosera erythrorhiza</i>		0.01	<1
<i>Drosera macrantha</i>		0.5	<1
<i>Eriochilus dilatatus</i> subsp. <i>multiflorus</i>		0.2	<1
<i>Eucalyptus marginata</i>		18	12
* <i>Gladiolus caryophyllaceus</i>		1	<1
<i>Gompholobium tomentosum</i>		0.4	<1
<i>Haemodorum laxum</i>		0.5	<1
<i>Hardenbergia comptoniana</i>		2	<1
<i>Hibbertia hypericoides</i>		0.4	5
<i>Hyalosperma cotula</i>		0.1	<1
<i>Hybanthus calycinus</i>		0.2	<1
* <i>Hypochaeris glabra</i>		0.01	<1
* <i>Hypochaeris glabra</i>		0.1	<1
<i>Lepidobolus preissianus</i>		0.3	<1
<i>Lomandra hermaphrodita</i>		0.2	<1
<i>Lomandra preissii</i>		0.3	<1
<i>Mesomelaena pseudostygia</i>		0.4	3
<i>Patersonia occidentalis</i>		0.2	<1
<i>Petrophile linearis</i>		0.3	<1
<i>Philotheca spicata</i>		0.2	<1
<i>Phyllangium divergens</i>		0.1	<1
<i>Pimelea sulphurea</i>		0.3	<1
<i>Podotheca gnaphalioides</i>		0.3	<1
<i>Pterostylis recurva</i>		0.2	<1
<i>Rytidosperma occidentale</i>		0.3	<1

<i>Scaevola repens</i> var. <i>repens</i>	0.1	<1
<i>Schoenus curvifolius</i>	0.3	<1
<i>Sowerbaea laxiflora</i>	0.3	<1
<i>Stirlingia latifolia</i>	0.2	<1
<i>Stylidium androsaceum</i>	0.1	<1
<i>Stylidium neurophyllum</i>	0.2	<1
<i>Stylidium piliferum</i>	0.02	<1
? <i>Stylidium</i> sp.	0.05	<1
<i>Stylidium tenue</i> subsp. <i>majusculum</i>	0.2	<1
<i>Thysanotus</i> sp. Coastal plain (N.H. Brittan 66/63)	0.5	<1
<i>Trachymene pilosa</i>	0.1	<1
* <i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	0.1	<1
<i>Xanthorrhoea preissii</i>	1.1	4

QFD03

Staff TCJ **Date** 1/09/2020 **Season** A
Revisit TCJ 6/10/2020 A
Type Q 10 m x 10 m
Location Flynn Drive
MGA Zone 50 
Habitat Flat
Aspect N/A **Slope** N/A
Soil Type Pale yellow sand
Rock Type Nil
Loose Rock 0 % cover **Litter** 95 % cover ; 2 cm in depth
Bare ground 1 % cover **Weeds** <1 % cover
Vegetation U+ ^^*Eucalyptus marginata*,*Allocasuarina fraseriana*,*Banksia attenuata*^tree\7\i;M ^*Xanthorrhoea preissii*^grass tree\3\i;G ^*Hibbertia hypericoides*^shrub\1\r
Veg. Condition Excellent
Disturbance Some animal diggings (rabbits?) and small rubbish.
Fire Age >10 years
Notes Near a lay down area opposite Pindar Rd.



Species	WA Cons.	Height (m)	Cover (%)	Count
* <i>Acacia iteaphylla</i>		0.9	<1	
<i>Adenanthos cygnorum</i>		4	2	
<i>Alexgeorgea nitens</i>		0.2	<1	
<i>Allocasuarina fraseriana</i>		7	8	
<i>Banksia attenuata</i>		4	2	

<i>Bossiaea eriocarpa</i>	0.3	<1
* <i>Briza maxima</i>	0.2	<1
<i>Burchardia congesta</i>	0.5	<1
<i>Caladenia flava</i> subsp. <i>flava</i>	0.2	<1
<i>Conostephium pendulum</i>	0.4	<1
<i>Conostylis juncea</i>	0.2	<1
<i>Daviesia triflora</i>	0.3	<1
<i>Desmocladius flexuosus</i>	0.3	<1
<i>Drosera erythrorhiza</i>	0.1	<1
<i>Drosera macrantha</i>	0.3	<1
<i>Eremaea pauciflora</i> var. <i>pauciflora</i>	0.5	<1
<i>Eucalyptus marginata</i>	7	18
<i>Gastrolobium capitatum</i>	0.2	<1
<i>Gastrolobium capitatum</i>	0.2	<1
* <i>Gladiolus caryophyllaceus</i>	0.7	<1
* <i>Gladiolus caryophyllaceus</i>	0.4	<1
<i>Hardenbergia comptoniana</i>	0.1	<1
<i>Hibbertia hypericoides</i>	0.4	5
<i>Hyalosperma cotula</i>	0.1	<1
<i>Hypocalymma robustum</i>	0.4	<1
* <i>Hypochaeris glabra</i>	0.1	<1
<i>Kennedia prostrata</i>	0.1	<1
<i>Lepidobolus preissianus</i>	0.3	<1
* <i>Leptospermum laevigatum</i>	0.3	<1
<i>Lomandra hermaphrodita</i>	0.2	<1
<i>Lomandra preissii</i>	0.7	<1
<i>Mesomelaena pseudostygia</i>	0.6	<1
<i>Petrophile linearis</i>	0.4	<1
<i>Petrophile macrostachya</i>	0.4	<1
<i>Pimelea sulphurea</i>	0.3	<1
<i>Pterostylis</i> sp.	0.1	<1
<i>Rytidosperma occidentale</i>	0.2	<1
<i>Scaevola repens</i> var. <i>repens</i>	0.1	<1
<i>Stirlingia latifolia</i>	0.7	<1
<i>Stylidium androsaceum</i>	0.1	<1
<i>Stylidium piliferum</i>	0.2	<1
<i>Thysanotus</i> sp. Coastal plain (N.H. Brittan 66/63)	0.6	<1
<i>Trachymene pilosa</i>	0.1	<1

<i>Trachymene pilosa</i>	0.1	<1
<i>Waitzia suaveolens</i>	0.1	<1
<i>Xanthorrhoea preissii</i>	1.3	15
<i>Xanthosia huegelii</i>	0.1	<1
